

```

System:      Host: antix1 Kernel: 4.9.160-antix.1-amd64-smp x86_64 bits: 64 compiler:
gcc v: 6.3.0
             parameters: BOOT_IMAGE=/boot/vmlinuz-4.9.160-antix.1-amd64-smp
             root=UUID=5d143bb5-75eb-450e-abef-5d8958ee6a67 ro quiet
             Desktop: IceWM 1.4.2 info: icewmtray dm: SLiM 1.3.4
             Distro: antiX-17.4.1_x64-full Helen Keller 28 March 2019
             base: Debian GNU/Linux 9 (stretch)
Machine:     Type: Laptop System: Acer product: Aspire A114-31 v: V1.09 serial:
<filter> Chassis:
             type: 10 serial: <filter>
             Mobo: APL model: Bulbasaur_AP v: V1.09 serial: <filter> UEFI: Insyde v:
1.09
             date: 10/17/2017
Battery:     ID-1: BAT1 charge: 16.8 Wh condition: 37.3/37.0 Wh (101%) volts: 7.5/7.7
             model: PANASONIC AP16M5J type: Li-ion serial: <filter> status:
Discharging
Memory:      RAM: total: 3.71 GiB used: 525.4 MiB (13.8%)
             RAM Report: permissions: Unable to run dmidecode. Root privileges
required.
PCI Slots:   Permissions: Unable to run dmidecode. Root privileges required.
CPU:         Topology: Dual Core model: Intel Celeron N3350 bits: 64 type: MCP arch:
Goldmont
             family: 6 model-id: 5C (92) stepping: 9 microcode: 38 L2 cache: 1024 KiB
bogomips: 4377
             Speed: 1000 MHz min/max: 800/2400 MHz Core speeds (MHz): 1: 790 2: 855
             Flags: 3dnowprefetch acpi aes aperfmperf apic arat arch_capabilities
arch_perfmon art
             bts clflush clflushopt cmov constant_tsc cx16 cx8 de ds_cpl dtes64
dtherm dts ept erms
             est flexpriority fpu fsrsgbase fxsr ht ibpb ibrs ida intel_pt kaiser
lahf_lm lm mca mce
             mmx monitor movbe mpx msr mtrr nonstop_tsc nopl nx pae pat pbe pclmulqdq
pdcml pdpe1gb
             pebs pge pln pni popcnt pse pse36 pts rdrand rdseed rdtscp rep_good sdbg
sep sha_ni
             smap smep ss sse sse2 sse4_1 sse4_2 ssse3 stibp syscall tm tm2
tpr_shadow tsc
             tsc_adjust tsc_deadline_timer vme vmx vnmi vpid x2apic xgetbv1 xsave
xsavvec xsaveopt
             xsaves xtopology xtptr
             Vulnerabilities: Type: l1tf status: Not affected
             Type: meltdown status: Not affected
             Type: spec_store_bypass status: Not affected
             Type: spectre_v1 mitigation: __user pointer sanitization
             Type: spectre_v2 mitigation: Full generic retpoline, IBPB, IBRS_FW
Graphics:    Device-1: Intel vendor: Acer Incorporated ALI driver: i915 v: kernel bus
ID: 00:02.0
             chip ID: 8086:5a85
             Display: server: X.Org 1.19.2 driver: modesetting unloaded: fbdev,vesa
             resolution: 1366x768-60Hz
             OpenGL: renderer: Mesa DRI Intel HD Graphics 500 (Broxton 2x6) v: 4.5
Mesa 13.0.6
             compat-v: 3.0 direct render: Yes
Audio:       Device-1: Intel Atom/Celeron/Pentium Processor N4200/N3350/E3900 Series
Audio Cluster
             vendor: Acer Incorporated ALI driver: snd_hda_intel v: kernel bus ID:
00:0e.0
             chip ID: 8086:5a98
             Sound Server: ALSA v: k4.9.160-antix.1-amd64-smp

```

```

Network: Device-1: Realtek RTL8111/8168/8411 PCI Express Gigabit Ethernet
          vendor: Acer Incorporated ALI driver: r8169 v: 2.3LK-NAPI port: 1000 bus
ID: 02:00.1
          chip ID: 10ec:8168
          IF: eth0 state: down mac: <filter>
          Device-2: Qualcomm Atheros QCA9377 802.11ac Wireless Network Adapter
vendor: Lite-On
          driver: ath10k_pci v: kernel port: 1000 bus ID: 03:00.0 chip ID:
168c:0042
          IF: wlan0 state: up mac: <filter>
          IP v4: <filter> scope: global broadcast: <filter>
          IP v6: <filter> scope: link
          WAN IP: <filter>
Drives: Local Storage: total: 58.24 GiB used: 14.82 GiB (25.4%)
          ID-1: /dev/mmcblk0 model: DF4064 size: 58.24 GiB block size: physical:
512 B
          logical: 512 B serial: <filter> scheme: GPT
          Message: No Optical or Floppy data was found.
RAID: Message: No RAID data was found.
Partition: ID-1: / raw size: 55.96 GiB size: 54.83 GiB (97.98%) used: 14.82 GiB
(27.0%) fs: ext4
          dev: /dev/mmcblk0p2 label: rootantiX17.4.1 uuid: 5d143bb5-75eb-450e-
abef-5d8958ee6a67
          ID-2: swap-1 size: 2.03 GiB used: 0 KiB (0.0%) fs: swap swappiness: 10
(default 60)
          cache pressure: 50 (default 100) dev: /dev/mmcblk0p3 label: swap
          uuid: e20ee636-e6a7-4467-88d6-0b58cd90e775
Unmounted: ID-1: /dev/mmcblk0boot0 size: 4.0 MiB fs: <root required> label: N/A
          uuid: N/A
          ID-2: /dev/mmcblk0boot1 size: 4.0 MiB fs: <root required> label: N/A
          uuid: N/A
          ID-3: /dev/mmcblk0p1 size: 255.0 MiB fs: vfat label: N/A uuid: 83E8-CB75
USB: Hub: 1-0:1 info: Full speed (or root) Hub ports: 8 rev: 2.0 speed: 480
Mb/s
          chip ID: 1d6b:0002
          Device-1: 1-3:2
          info: KYE Systems (Mouse Systems) NetScroll+ Mini Traveler / Genius
NetScroll 120
          type: Mouse driver: hid-generic,usbhid interfaces: 1 rev: 1.1 speed: 1.5
Mb/s
          chip ID: 0458:003a
          Device-2: 1-5:3 info: Lite-On type: Bluetooth driver: btusb interfaces:
2 rev: 2.0
          speed: 12 Mb/s chip ID: 04ca:3015
          Device-3: 1-7:4 info: Chicony type: Video driver: uvcvideo interfaces: 2
rev: 2.0
          speed: 480 Mb/s chip ID: 04f2:b5e0 serial: <filter>
          Hub: 2-0:1 info: Full speed (or root) Hub ports: 7 rev: 3.0 speed: 5
Gb/s
          chip ID: 1d6b:0003
Sensors: System Temperatures: cpu: 44.0 C mobo: N/A
          Fan Speeds (RPM): N/A
Repos: Active apt repos in: /etc/apt/sources.list.d/antix.list
          1: deb https:
//anorien.csc.warwick.ac.uk/mirrors/mxlinux/packages/antix/stretch/ stretch main
nosystemd nonfree
          Active apt repos in: /etc/apt/sources.list.d/debian-stable-updates.list
          1: deb http: //ftp.pt.debian.org/debian/ stretch-updates main contrib
non-free

```

```
Active apt repos in: /etc/apt/sources.list.d/debian.list
1: deb http://ftp.pt.debian.org/debian/ stretch main contrib non-free
2: deb http://security.debian.org/ stretch/updates main contrib non-
free
Active apt repos in: /etc/apt/sources.list.d/google-chrome.list
1: deb [arch=amd64] http://dl.google.com/linux/chrome/deb/ stable main
No active apt repos in: /etc/apt/sources.list.d/onion.list
No active apt repos in: /etc/apt/sources.list.d/various.list
Processes: CPU top: 5
1: cpu: 5.2% command: chromium pid: 4596 mem: 102.6 MiB (2.7%)
2: cpu: 5.2% command: chromium pid: 21136 mem: 123.6 MiB (3.2%)
3: cpu: 4.3% command: chromium pid: 4552 mem: 227.5 MiB (5.9%)
4: cpu: 3.3% command: xorg pid: 2543 mem: 47.6 MiB (1.2%)
5: cpu: 2.4% command: gtkdialog pid: 21923 mem: 26.1 MiB (0.6%)
Memory top: 5
1: mem: 227.5 MiB (5.9%) command: chromium pid: 4552 cpu: 4.3%
2: mem: 123.6 MiB (3.2%) command: chromium pid: 21136 cpu: 5.2%
3: mem: 102.6 MiB (2.7%) command: chromium pid: 4596 cpu: 5.2%
4: mem: 78.4 MiB (2.0%) command: chromium pid: 4693 cpu: 0.0%
5: mem: 74.7 MiB (1.9%) command: chromium pid: 4727 cpu: 0.0%
Info: Processes: 172 Uptime: 1h 10m Init: SysVinit v: 2.88 runlevel: 5
default: 5 Compilers:
gcc: 6.3.0 alt: 6 Client: shell wrapper v: 4.4.12-release inxi: 3.0.36
```