

oland@antix1:~

\$ inxi -zv7

System:

Host: antix1 Kernel: 4.9.160-antix.1-amd64-smp x86_64 bits: 64
compiler: gcc
v: 6.3.0 Desktop: IceWM 1.4.2 info: icewmtray dm: SLiM 1.3.4
Distro: antiX-17.4.1_x64-full Helen Keller 28 March 2019
base: Debian GNU/Linux 9 (stretch)

Machine:

Type: Laptop System: Acer product: Aspire A114-31 v: V1.09 serial:
<filter> Chassis:
type: 10 serial: <filter>
Mobo: APL model: Bulbasaur_AP v: V1.09 serial: <filter> UEFI:
Insyde v: 1.09
date: 10/17/2017

Battery:

ID-1: BAT1 charge: 12.2 Wh condition: 33.0/37.0 Wh (89%) volts:
7.5/7.7

model: PANASONIC AP16M5J type: Li-ion serial: <filter> status:
Discharging

Memory:

RAM: total: 3.71 GiB used: 613.2 MiB (16.2%)
RAM Report: permissions: Unable to run dmidecode. Root privileges
required.

CPU:

Topology: Dual Core model: Intel Celeron N3350 bits: 64 type: MCP
arch: Goldmont
rev: 9 L2 cache: 1024 KiB bogomips: 4377
Speed: 1629 MHz min/max: 800/2400 MHz Core speeds (MHz): 1: 1675 2:
1843

Flags: 3dnowprefetch acpi aes aperfmperf apic arat

arch_capabilities arch_perfmon

art bts clflush clflushopt cmov constant_tsc cx16 cx8 de ds_cpl
dtes64 dtherm dts

ept erms est flexpriority fpu fsgsbase fxsr ht ibpb ibrs ida
intel_pt kaiser lahf_lm

lm mca mce mmx monitor movbe mpx msr mtrr nonstop_tsc nopl nx pae
pat pbe pclmulqdq

pdcmm pdpe1gb pebs pge pln pni popcnt pse pse36 pts rdrand rdseed
rdtscp rep_good

sdbg sep sha_ni smap smep ss sse sse2 sse4_1 sse4_2 ssse3 stibp
syscall tm tm2

tpr_shadow tsc tsc_adjust tsc_deadline_timer vme vmx vnmi vpid
x2apic xgetbv1 xsave

xsavec xsaveopt xsaves xtopology xtptr

Graphics:

Device-1: Intel vendor: Acer Incorporated ALI driver: i915 v:
kernel bus ID: 00:02.0
chip ID: 8086:5a85
Display: server: X.Org 1.19.2 driver: modesetting unloaded:
fbdev,vesa
resolution: 1366x768~60Hz
OpenGL: renderer: Mesa DRI Intel HD Graphics 500 (Broxton 2x6) v:
4.5 Mesa 13.0.6
compat-v: 3.0 direct render: Yes

Audio:
Device-1: Intel Atom/Celeron/Pentium Processor N4200/N3350/E3900
Series Audio Cluster vendor: Acer Incorporated ALI driver:
snd_hda_intel v: kernel bus ID: 00:0e.0
chip ID: 8086:5a98
Sound Server: ALSA v: k4.9.160-antix.1-amd64-smp

Network:
Device-1: Realtek RTL8111/8168/8411 PCI Express Gigabit Ethernet
vendor: Acer Incorporated ALI driver: r8169 v: 2.3LK-NAPI port:
1000 bus ID: 02:00.1
chip ID: 10ec:8168
IF: eth0 state: down mac: <filter>
Device-2: Qualcomm Atheros QCA9377 802.11ac Wireless Network
Adapter vendor: Lite-On
driver: ath10k_pci v: kernel port: 1000 bus ID: 03:00.0 chip ID:
168c:0042
IF: wlan0 state: up mac: <filter>
IP v4: <filter> scope: global broadcast: <filter>
IP v6: <filter> scope: link
WAN IP: <filter>

Drives:
Local Storage: total: 58.24 GiB used: 19.94 GiB (34.2%)
ID-1: /dev/mmcblk0 model: DF4064 size: 58.24 GiB serial: <filter>
scheme: GPT
Message: No Optical or Floppy data was found.

RAID:
Message: No RAID data was found.

Partition:
ID-1: / size: 54.83 GiB used: 19.94 GiB (36.4%) fs: ext4 dev:
/dev/mmcblk0p2
label: rootantiX17.4.1 uuid: 5d143bb5-75eb-450e-abef-5d8958ee6a67
ID-2: swap-1 size: 2.03 GiB used: 0 KiB (0.0%) fs: swap dev:
/dev/mmcblk0p3
label: N/A uuid: e20ee636-e6a7-4467-88d6-0b58cd90e775

Unmounted:
ID-1: /dev/mmcblk0boot0 size: 4.0 MiB fs: <root required> label:
N/A uuid: N/A

ID-2: /dev/mmcblk0boot1 size: 4.0 MiB fs: <root required> label:
N/A uuid: N/A

ID-3: /dev/mmcblk0p1 size: 255.0 MiB fs: vfat label: N/A uuid:
83E8-CB75

USB:

Hub: 1-0:1 info: Full speed (or root) Hub ports: 8 rev: 2.0 speed:
480 Mb/s

chip ID: 1d6b:0002

Device-1: 1-3:2

info: KYE Systems (Mouse Systems) NetScroll+ Mini Traveler / Genius
NetScroll 120

type: Mouse driver: hid-generic,usbhid interfaces: 1 rev: 1.1
speed: 1.5 Mb/s

chip ID: 0458:003a

Device-2: 1-5:3 info: Lite-On type: Bluetooth driver: btusb
interfaces: 2 rev: 2.0

speed: 12 Mb/s chip ID: 04ca:3015

Device-3: 1-7:4 info: Chicony type: Video driver: uvcvideo
interfaces: 2 rev: 2.0

speed: 480 Mb/s chip ID: 04f2:b5e0 serial: <filter>

Hub: 2-0:1 info: Full speed (or root) Hub ports: 7 rev: 3.0 speed:
5 Gb/s

chip ID: 1d6b:0003

Sensors:

System Temperatures: cpu: 46.0 C mobo: N/A

Fan Speeds (RPM): N/A

Info:

Processes: 175 Uptime: 1h 21m Init: SysVinit v: 2.88 runlevel: 5
default: 5

Compilers: gcc: 6.3.0 alt: 6 Shell: bash v: 4.4.12 running in:
lxterminal

inxi: 3.0.36

roland@antix1:~

\$