

```

System:    Host: antix1 Kernel: 4.19.100-antix.1-amd64-smp x86_64 bits: 64
compiler: gcc v: 8.3.0
           parameters: BOOT_IMAGE=/boot/vmlinuz-4.19.100-antix.1-amd64-smp
           root=UUID=844fe1ec-5cf5-44f6-a24c-167844171601 ro vga=791 quiet
Desktop: IceWM 1.9.2 dm: SLiM 1.3.6 Distro: Debian GNU/Linux 10 (buster)
base: Debian GNU/Linux 10 (buster)
Machine:  Type: Desktop Mobo: HUANANZHI model: X79 v: VAA1 serial: <filter>
           BIOS: American Megatrends v: 4.6.5 date: 07/07/2018
Memory:    RAM: total: 31.35 GiB used: 416.6 MiB (1.3%)
           RAM Report: permissions: Unable to run dmidecode. Root privileges
required.
PCI Slots: Permissions: Unable to run dmidecode. Root privileges required.
CPU:       Topology: 2x Quad Core model: Intel Xeon E5-2609 0 bits: 64 type: MCP
SMP
           arch: Sandy Bridge family: 6 model-id: 2D (45) stepping: 7 microcode:
71A
           L2 cache: 20.0 MiB bogomips: 38426
           Speed: 1309 MHz min/max: 1200/2400 MHz Core speeds (MHz): 1: 1200 2:
1200 3: 1200
           4: 1254 5: 1200 6: 1200 7: 1200 8: 1200
           Flags: acpi aes aperfmperf apic arat arch_perfmon avx bts clflush cmov
constant_tsc
           cpuid cx16 cx8 dca de ds_cpl dtes64 dtherm dts epb ept est flexpriority
flush_l1d fpu
           fxsr ht ibpb ibrs lahfm lm mca mce md_clear mmx monitor msr mtrr
nonstop_tsc nopl nx
           pae pat pbe pcid pclmulqdq pdcmm pdpe1gb pebs pge pln pni popcnt pse
pse36 ptm pts
           rdtscp rep_good sep smx ss ssbd sse sse2 sse4_1 sse4_2 ssse3 stibp
syscall tm tm2
           tpr_shadow tsc tsc_deadline_timer vme vmx vnmi vpid x2apic xsave
xsaveopt xtopology
           xtp
           Vulnerabilities: Type: itlb_multihit status: KVM: Split huge pages
           Type: l1tf mitigation: PTE Inversion; VMX: conditional cache flushes,
SMT disabled
           Type: mds mitigation: Clear CPU buffers; SMT disabled
           Type: meltdown mitigation: PTI
           Type: spec_store_bypass
           mitigation: Speculative Store Bypass disabled via prctl and seccomp
           Type: spectre_v1 mitigation: usercopy/swapgs barriers and __user pointer
sanitization
           Type: spectre_v2 mitigation: Full generic retpoline, IBPB: conditional,
IBRS_FW, STIBP:
           disabled, RSB filling
           Type: tsx_async_abort status: Not affected
Graphics:  Device-1: NVIDIA GT218 [GeForce 210] driver: nouveau v: kernel bus ID:
03:00.0
           chip ID: 10de:0a65
           Display: x11 server: X.Org 1.20.4 driver: modesetting unloaded:
fbdev,vesa
           resolution: 1152x864~75Hz
           OpenGL: renderer: NVA8 v: 3.3 Mesa 18.3.6 direct render: Yes
Audio:     Device-1: Intel C600/X79 series High Definition Audio driver:
snd_hda_intel v: kernel
           bus ID: 00:1b.0 chip ID: 8086:1d20
           Device-2: NVIDIA High Definition Audio driver: snd_hda_intel v: kernel
bus ID: 03:00.1
           chip ID: 10de:0be3

```

Sound Server: ALSA v: k4.19.100-antix.1-amd64-smp  
Network: Device-1: Realtek RTL8111/8168/8411 PCI Express Gigabit Ethernet driver:  
r8169  
v: kernel port: 7000 bus ID: 07:00.0 chip ID: 10ec:8168  
IF: eth0 state: down mac: <filter>  
Device-2: Realtek RTL8111/8168/8411 PCI Express Gigabit Ethernet driver:  
r8169  
v: kernel port: 6000 bus ID: 09:00.0 chip ID: 10ec:8168  
IF: eth1 state: down mac: <filter>  
WAN IP: No WAN IP data found. Connected to the web? SSL issues?  
Drives: Local Storage: total: 1.82 TiB used: 48.31 GiB (2.6%)  
ID-1: /dev/sda vendor: Seagate model: ST500DM002-1ER14C size: 465.76 GiB  
block size:  
physical: 4096 B logical: 512 B speed: 6.0 Gb/s rotation: 7200 rpm  
serial: <filter>  
rev: CC45 scheme: MBR  
ID-2: /dev/sdb vendor: Seagate model: ST3500413AS size: 465.76 GiB block  
size:  
physical: 512 B logical: 512 B speed: 6.0 Gb/s rotation: 7200 rpm  
serial: <filter>  
rev: JC45 scheme: MBR  
ID-3: /dev/sdc vendor: Seagate model: ST3500418AS size: 465.76 GiB block  
size:  
physical: 512 B logical: 512 B speed: 3.0 Gb/s rotation: 7200 rpm  
serial: <filter>  
rev: HP40 scheme: MBR  
ID-4: /dev/sdd vendor: Seagate model: ST500DM002-1BD142 size: 465.76 GiB  
block size:  
physical: 4096 B logical: 512 B speed: 3.0 Gb/s rotation: 7200 rpm  
serial: <filter>  
rev: KC65 scheme: MBR  
Optical-1: /dev/sr0 vendor: TSSTcorp model: DVD+-RW TS-H653G rev: DW10  
dev-links: cdrom,cdrw,dvd,dvdrw  
Features: speed: 48 multisession: yes audio: yes dvd: yes rw: cd-r,cd-  
rw,dvd-r,dvd-ram  
state: running  
RAID: Message: No RAID data was found.  
Partition: ID-1: / raw size: 48.83 GiB size: 47.81 GiB (97.92%) used: 7.45 GiB  
(15.6%) fs: ext4  
dev: /dev/sda1 label: rootantiX19 uuid: 844fe1ec-5cf5-44f6-a24c-  
167844171601  
ID-2: /home raw size: 200.20 GiB size: 196.05 GiB (97.93%) used: 19.68  
GiB (10.0%)  
fs: ext4 dev: /dev/sda6 label: homeantiX uuid: 231afe95-3cba-4993-beb1-  
b52726510965  
ID-3: /media/sdb1 raw size: 232.67 GiB size: 228.02 GiB (98.00%) used:  
59.1 MiB (0.0%)  
fs: ext4 dev: /dev/sdb1 label: sdb1 uuid: 0a085231-c321-49d4-aaf0-  
9d7f71cf067d  
ID-4: /media/sdb2 raw size: 233.09 GiB size: 228.43 GiB (98.00%) used:  
59.1 MiB (0.0%)  
fs: ext4 dev: /dev/sdb2 label: sdb2 uuid: 7cf9bdcd-a2e9-493c-90f7-  
68cbd17af463  
ID-5: /media/sdc1 raw size: 232.88 GiB size: 228.22 GiB (98.00%) used:  
59.1 MiB (0.0%)  
fs: ext4 dev: /dev/sdc1 label: sdc1 uuid: a8aca46c-d144-456c-93ae-  
39bc84a527c9  
ID-6: /media/sdc2 raw size: 232.88 GiB size: 228.23 GiB (98.00%) used:  
59.1 MiB (0.0%)

```

fs: ext4 dev: /dev/sdc2 label: sdc2 uuid: 8b2f7fe4-ac6f-406e-a4e4-
8e9e0ab2d50c
ID-7: /media/sdd1 raw size: 232.88 GiB size: 228.23 GiB (98.00%) used:
59.1 MiB (0.0%)
fs: ext4 dev: /dev/sdd1 label: sdd1 uuid: f949503c-76cd-4b06-ade0-
fc54a756915a
ID-8: /media/sdd2 raw size: 232.88 GiB size: 228.22 GiB (98.00%) used:
20.89 GiB (9.2%)
fs: ext4 dev: /dev/sdd2 label: sdd2 uuid: 198b6b77-a1e4-4adf-b340-
98a24491a44e
ID-9: swap-1 size: 11.72 GiB used: 0 KiB (0.0%) fs: swap swappiness: 10
(default 60)
cache pressure: 50 (default 100) dev: /dev/sda5 label: swap
uuid: 1540a43b-5380-407b-a657-be4b262d6e04
Unmounted: ID-1: /dev/sda2 size: 1 KiB fs: <root required> label: N/A uuid: N/A
ID-2: /dev/sda7 size: 205.02 GiB fs: ext4 label: antix_data
uuid: 3eedced4-3153-41ef-9147-953c4a5795fe
USB:
Hub: 1-0:1 info: Full speed (or root) Hub ports: 2 rev: 2.0 speed: 480
Mb/s
chip ID: 1d6b:0002
Hub: 1-1:2 info: Intel Integrated Rate Matching Hub ports: 6 rev: 2.0
speed: 480 Mb/s
chip ID: 8087:0024
Hub: 2-0:1 info: Full speed (or root) Hub ports: 2 rev: 2.0 speed: 480
Mb/s
chip ID: 1d6b:0002
Hub: 2-1:2 info: Intel Integrated Rate Matching Hub ports: 8 rev: 2.0
speed: 480 Mb/s
chip ID: 8087:0024
Hub: 2-1.2:3 info: Terminus FE 2.1 7-port Hub ports: 7 rev: 2.0 speed:
480 Mb/s
chip ID: 1a40:0201
Device-1: 2-1.2.2:4 info: Genesys Logic Logilink CR0012 type: Mass
Storage
driver: usb-storage interfaces: 1 rev: 2.0 speed: 480 Mb/s chip ID:
05e3:0745
serial: <filter>
Hub: 3-0:1 info: Full speed (or root) Hub ports: 1 rev: 2.0 speed: 480
Mb/s
chip ID: 1d6b:0002
Hub: 3-1:2 info: VIA Labs Hub ports: 4 rev: 2.1 speed: 480 Mb/s chip ID:
2109:3431
Device-2: 3-1.1:3 info: Pixart Imaging Optical Mouse type: Mouse
driver: hid-generic,usbhid interfaces: 1 rev: 1.1 speed: 1.5 Mb/s chip
ID: 093a:2510
Device-3: 3-1.2:4 info: China Resource Semico type: Keyboard,Mouse
driver: hid-generic,usbhid interfaces: 2 rev: 1.1 speed: 1.5 Mb/s chip
ID: 1a2c:0c21
Hub: 4-0:1 info: Full speed (or root) Hub ports: 4 rev: 3.0 speed: 5
Gb/s
chip ID: 1d6b:0003
Sensors: System Temperatures: cpu: 35.0 C mobo: N/A gpu: nouveau temp: 41 C
Fan Speeds (RPM): N/A
Repos: Active apt repos in: /etc/apt/sources.list.d/antix.list
1: deb https:
//mirrors.ukfast.co.uk/sites/MX_antix_packages/antix/buster/ buster main nonfree
nosystemd
Active apt repos in: /etc/apt/sources.list.d/atom.list
1: deb [arch=amd64] https: //packagecloud.io/AtomEditor/atom/any/ any

```

main

Active apt repos in: /etc/apt/sources.list.d/buster-backports.list

1: deb http://deb.debian.org/debian buster-backports main contrib non-

free

Active apt repos in: /etc/apt/sources.list.d/debian-stable-updates.list

1: deb http://ftp.pt.debian.org/debian/ buster-updates main contrib

non-free

Active apt repos in: /etc/apt/sources.list.d/debian.list

1: deb http://ftp.pt.debian.org/debian/ buster main contrib non-free

2: deb http://security.debian.org/ buster/updates main contrib non-free

Active apt repos in: /etc/apt/sources.list.d/google-chrome.list

1: deb [arch=amd64] http://dl.google.com/linux/chrome/deb/ stable main

Active apt repos in: /etc/apt/sources.list.d/google-earth-pro.list

1: deb [arch=amd64] http://dl.google.com/linux/earth/deb/ stable main

No active apt repos in: /etc/apt/sources.list.d/onion.list

No active apt repos in: /etc/apt/sources.list.d/various.list

Processes: CPU top: 5

1: cpu: 2.0% command: xorg pid: 3451 mem: 53.7 MiB (0.1%)

2: cpu: 0.6% command: gtkdialog pid: 5148 mem: 29.8 MiB (0.0%)

3: cpu: 0.4% command: conky pid: 3706 mem: 10.1 MiB (0.0%)

4: cpu: 0.3% command: runit pid: 1 mem: 0.72 MiB (0.0%)

5: cpu: 0.3% command: [kworker/0:4-events\_power\_efficient] pid: 165

mem: 0.00 MiB (0.0%)

Memory top: 5

1: mem: 78.9 MiB (0.2%) command: apt-notifier.py started by: python pid:

4012 cpu: 0.1%

2: mem: 58.6 MiB (0.1%) command: clipit pid: 3607 cpu: 0.1%

3: mem: 53.7 MiB (0.1%) command: xorg pid: 3451 cpu: 2.0%

4: mem: 52.3 MiB (0.1%) command: spacefm pid: 3587 cpu: 0.2%

5: mem: 31.1 MiB (0.0%) command: yad pid: 3641 cpu: 0.1%

Info:

Processes: 227 Uptime: 4m Init: runit v: N/A runlevel: 2 default: 5

Compilers:

gcc: 8.3.0 alt: 8 Client: shell wrapper v: 5.0.3-release inxi: 3.0.36