

System: Host: antix1 Kernel: 4.19.152-antix.1-amd64-smp x86\_64 bits: 64  
compiler: gcc v: 8.3.0  
parameters: BOOT\_IMAGE=/boot/vmlinuz-4.19.152-antix.1-amd64-smp  
root=UUID=844fe1ec-5cf5-44f6-a24c-167844171601 ro vga=791 quiet  
Desktop: IceWM 1.9.2 dm: SLiM 1.3.6 Distro: Debian GNU/Linux 10 (buster)  
base: Debian GNU/Linux 10 (buster)  
Machine: Type: Desktop Mobo: HUANANZHI model: X79 v: VAA1 serial: <filter>  
BIOS: American Megatrends v: 4.6.5 date: 07/07/2018  
Memory: RAM: total: 31.35 GiB used: 434.8 MiB (1.4%)  
RAM Report: permissions: Unable to run dmidecode. Root privileges  
required.  
PCI Slots: Permissions: Unable to run dmidecode. Root privileges required.  
CPU: Topology: 2x Quad Core model: Intel Xeon E5-2609 0 bits: 64 type: MCP  
SMP  
arch: Sandy Bridge family: 6 model-id: 2D (45) stepping: 7 microcode:  
71A  
L2 cache: 20.0 MiB bogomips: 38428  
Speed: 1200 MHz min/max: 1200/2400 MHz Core speeds (MHz): 1: 1200 2:  
1200 3: 1200  
4: 1200 5: 1200 6: 1200 7: 1200 8: 1256  
Flags: acpi aes aperfmpperf apic arat arch\_perfmon avx bts clflush cmov  
constant\_tsc  
cpuid cx16 cx8 dca de ds\_cpl dtes64 dtherm dts epb ept est flexpriority  
flush\_l1d fpu  
fxsr ht ibpb ibrs lahfm lm mca mce md\_clear mmx monitor msr mtrr  
nonstop\_tsc nopl nx  
pae pat pbe pcid pclmulqdq pdcms pdpe1gb pebs pge pln pni popcnt pse  
pse36 pti pts  
rdtscp rep\_good sep smx ss ssbd sse sse2 sse4\_1 sse4\_2 ssse3 stibp  
syscall tm tm2  
tpr\_shadow tsc tsc\_deadline\_timer vme vmx vnmi vpid x2apic xsave  
xsaveopt xtopology  
xtpr  
Vulnerabilities: Type: itlb\_multihit status: KVM: Split huge pages  
Type: l1tf mitigation: PTE Inversion; VMX: conditional cache flushes,  
SMT disabled  
Type: mds mitigation: Clear CPU buffers; SMT disabled  
Type: meltdown mitigation: PTI  
Type: spec\_store\_bypass  
mitigation: Speculative Store Bypass disabled via prctl and seccomp  
Type: spectre\_v1 mitigation: usercopy/swapgs barriers and \_\_user pointer  
sanitization  
Type: spectre\_v2 mitigation: Full generic retpoline, IBPB: conditional,  
IBRS\_FW, STIBP:  
disabled, RSB filling  
Type: srbds status: Not affected  
Type: tsx\_async\_abort status: Not affected  
Graphics: Device-1: NVIDIA GT218 [GeForce 210] driver: nouveau v: kernel bus ID:  
03:00.0  
chip ID: 10de:0a65  
Display: x11 server: X.Org 1.20.4 driver: modesetting unloaded:  
fbdev, vesa  
resolution: 1152x864~75Hz  
OpenGL: renderer: NVA8 v: 3.3 Mesa 18.3.6 direct render: Yes  
Audio: Device-1: Intel C600/X79 series High Definition Audio driver:  
snd\_hda\_intel v: kernel  
bus ID: 00:1b.0 chip ID: 8086:1d20  
Device-2: NVIDIA High Definition Audio driver: snd\_hda\_intel v: kernel  
bus ID: 03:00.1

```

chip ID: 10de:0be3
Sound Server: ALSA v: k4.19.152-antix.1-amd64-smp
Network: Device-1: Realtek RTL8111/8168/8411 PCI Express Gigabit Ethernet driver:
r8169
v: kernel port: 7000 bus ID: 07:00.0 chip ID: 10ec:8168
IF: eth0 state: down mac: <filter>
Device-2: Realtek RTL8111/8168/8411 PCI Express Gigabit Ethernet driver:
r8169
v: kernel port: 6000 bus ID: 09:00.0 chip ID: 10ec:8168
IF: eth1 state: down mac: <filter>
Device-3: Qualcomm Atheros AR9271 802.11n type: USB driver: ath9k_htc
bus ID: 2-1.2.4:6
chip ID: 0cf3:9271 serial: <filter>
IF: wlan0 state: down mac: <filter>
WAN IP: No WAN IP data found. Connected to the web? SSL issues?
Drives: Local Storage: total: 1.82 TiB used: 62.40 GiB (3.3%)
ID-1: /dev/sda vendor: Seagate model: ST500DM002-1ER14C size: 465.76 GiB
block size:
physical: 4096 B logical: 512 B speed: 6.0 Gb/s rotation: 7200 rpm
serial: <filter>
rev: CC45 scheme: MBR
ID-2: /dev/sdb vendor: Seagate model: ST3500413AS size: 465.76 GiB block
size:
physical: 512 B logical: 512 B speed: 6.0 Gb/s rotation: 7200 rpm
serial: <filter>
rev: JC45 scheme: MBR
ID-3: /dev/sdc vendor: Seagate model: ST3500418AS size: 465.76 GiB block
size:
physical: 512 B logical: 512 B speed: 3.0 Gb/s rotation: 7200 rpm
serial: <filter>
rev: HP40 scheme: MBR
ID-4: /dev/sdd vendor: Seagate model: ST500DM002-1BD142 size: 465.76 GiB
block size:
physical: 4096 B logical: 512 B speed: 3.0 Gb/s rotation: 7200 rpm
serial: <filter>
rev: KC65 scheme: MBR
Optical-1: /dev/sr0 vendor: TSSTcorp model: DVD+-RW TS-H653G rev: DW10
dev-links: cdrom,cdrw,dvd,dvdrw
Features: speed: 48 multisession: yes audio: yes dvd: yes rw: cd-r,cd-
rw,dvd-r,dvd-ram
state: running
RAID: Message: No RAID data was found.
Partition: ID-1: / raw size: 48.83 GiB size: 47.81 GiB (97.92%) used: 8.20 GiB
(17.1%) fs: ext4
dev: /dev/sda1 label: rootantiX19 uuid: 844fe1ec-5cf5-44f6-a24c-
167844171601
ID-2: /home raw size: 200.20 GiB size: 196.05 GiB (97.93%) used: 33.02
GiB (16.8%)
fs: ext4 dev: /dev/sda6 label: homeantiX uuid: 231afe95-3cba-4993-beb1-
b52726510965
ID-3: /media/sdb1 raw size: 232.67 GiB size: 228.02 GiB (98.00%) used:
59.1 MiB (0.0%)
fs: ext4 dev: /dev/sdb1 label: sdb1 uuid: 0a085231-c321-49d4-aaf0-
9d7f71cf067d
ID-4: /media/sdb2 raw size: 233.09 GiB size: 228.43 GiB (98.00%) used:
59.1 MiB (0.0%)
fs: ext4 dev: /dev/sdb2 label: sdb2 uuid: 7cf9bdcd-a2e9-493c-90f7-
68cbd17af463
ID-5: /media/sdc1 raw size: 232.88 GiB size: 228.22 GiB (98.00%) used:

```

```

59.1 MiB (0.0%)
    fs: ext4 dev: /dev/sdc1 label: sdc1 uuid: a8aca46c-d144-456c-93ae-
39bc84a527c9
    ID-6: /media/sdc2 raw size: 232.88 GiB size: 228.23 GiB (98.00%) used:
59.1 MiB (0.0%)
    fs: ext4 dev: /dev/sdc2 label: sdc2 uuid: 8b2f7fe4-ac6f-406e-a4e4-
8e9e0ab2d50c
    ID-7: /media/sdd1 raw size: 232.88 GiB size: 228.23 GiB (98.00%) used:
59.1 MiB (0.0%)
    fs: ext4 dev: /dev/sdd1 label: sdd1 uuid: f949503c-76cd-4b06-ade0-
fc54a756915a
    ID-8: /media/sdd2 raw size: 232.88 GiB size: 228.22 GiB (98.00%) used:
20.89 GiB (9.2%)
    fs: ext4 dev: /dev/sdd2 label: sdd2 uuid: 198b6b77-a1e4-4adf-b340-
98a24491a44e
    ID-9: swap-1 size: 11.72 GiB used: 0 KiB (0.0%) fs: swap swappiness: 10
(default 60)
    cache pressure: 50 (default 100) dev: /dev/sda5 label: swap
    uuid: 1540a43b-5380-407b-a657-be4b262d6e04
Unmounted: ID-1: /dev/sda2 size: 1 KiB fs: <root required> label: N/A uuid: N/A
    ID-2: /dev/sda7 size: 205.02 GiB fs: ext4 label: antix_data
    uuid: 3eedced4-3153-41ef-9147-953c4a5795fe
USB:
Hub: 1-0:1 info: Full speed (or root) Hub ports: 2 rev: 2.0 speed: 480
Mb/s
    chip ID: 1d6b:0002
    Hub: 1-1:2 info: Intel Integrated Rate Matching Hub ports: 6 rev: 2.0
speed: 480 Mb/s
    chip ID: 8087:0024
    Hub: 2-0:1 info: Full speed (or root) Hub ports: 2 rev: 2.0 speed: 480
Mb/s
    chip ID: 1d6b:0002
    Hub: 2-1:2 info: Intel Integrated Rate Matching Hub ports: 8 rev: 2.0
speed: 480 Mb/s
    chip ID: 8087:0024
    Hub: 2-1.2:3 info: Terminus FE 2.1 7-port Hub ports: 7 rev: 2.0 speed:
480 Mb/s
    chip ID: 1a40:0201
    Device-1: 2-1.2.2:5 info: Genesys Logic Logilink CR0012 type: Mass
Storage
    driver: usb-storage interfaces: 1 rev: 2.0 speed: 480 Mb/s chip ID:
05e3:0745
    serial: <filter>
    Device-2: 2-1.2.4:6 info: Qualcomm Atheros AR9271 802.11n type: Network
    driver: ath9k_htc interfaces: 1 rev: 2.0 speed: 480 Mb/s chip ID:
0cf3:9271
    serial: <filter>
    Device-3: 2-1.7:4 info: China Resource Semico type: Keyboard,Mouse
    driver: hid-generic,usbhid interfaces: 2 rev: 1.1 speed: 1.5 Mb/s chip
ID: 1a2c:0c21
    Hub: 3-0:1 info: Full speed (or root) Hub ports: 1 rev: 2.0 speed: 480
Mb/s
    chip ID: 1d6b:0002
    Hub: 3-1:2 info: VIA Labs Hub ports: 4 rev: 2.1 speed: 480 Mb/s chip ID:
2109:3431
    Device-4: 3-1.1:3 info: Pixart Imaging Optical Mouse type: Mouse
    driver: hid-generic,usbhid interfaces: 1 rev: 1.1 speed: 1.5 Mb/s chip
ID: 093a:2510
    Hub: 4-0:1 info: Full speed (or root) Hub ports: 4 rev: 3.0 speed: 5
Gb/s

```

chip ID: 1d6b:0003  
Sensors: System Temperatures: cpu: 28.0 C mobo: N/A gpu: nouveau temp: 31 C  
Fan Speeds (RPM): N/A  
Repos: Active apt repos in: /etc/apt/sources.list.d/antix.list  
1: deb https://mirrors.ukfast.co.uk/sites/MX\_antix\_packages/antix/buster/ buster main nonfree  
nosystemd  
Active apt repos in: /etc/apt/sources.list.d/atom.list  
1: deb [arch=amd64] https://packagecloud.io/AtomEditor/atom/any/ any  
main  
Active apt repos in: /etc/apt/sources.list.d/buster-backports.list  
1: deb http://deb.debian.org/debian buster-backports main contrib non-free  
free  
Active apt repos in: /etc/apt/sources.list.d/debian-stable-updates.list  
1: deb http://ftp.pt.debian.org/debian/ buster-updates main contrib  
non-free  
Active apt repos in: /etc/apt/sources.list.d/debian.list  
1: deb http://ftp.pt.debian.org/debian/ buster main contrib non-free  
2: deb http://security.debian.org/ buster/updates main contrib non-free  
Active apt repos in: /etc/apt/sources.list.d/google-chrome.list  
1: deb [arch=amd64] http://dl.google.com/linux/chrome/deb/ stable main  
Active apt repos in: /etc/apt/sources.list.d/google-earth-pro.list  
1: deb [arch=amd64] http://dl.google.com/linux/earth/deb/ stable main  
No active apt repos in: /etc/apt/sources.list.d/onion.list  
No active apt repos in: /etc/apt/sources.list.d/various.list  
Processes: CPU top: 5  
1: cpu: 3.9% command: xorg pid: 3501 mem: 52.5 MiB (0.1%)  
2: cpu: 1.4% command: gtkdialog pid: 4615 mem: 29.8 MiB (0.0%)  
3: cpu: 1.0% command: runit pid: 1 mem: 0.71 MiB (0.0%)  
4: cpu: 1.0% command: [kworker/0:3-events] pid: 164 mem: 0.00 MiB (0.0%)  
5: cpu: 0.9% command: udevd pid: 480 mem: 4.80 MiB (0.0%)  
Memory top: 5  
1: mem: 78.6 MiB (0.2%) command: apt-notifier.py started by: python pid: 4064  
4064 cpu: 0.5%  
2: mem: 58.8 MiB (0.1%) command: clipit pid: 3662 cpu: 0.5%  
3: mem: 57.3 MiB (0.1%) command: yad pid: 3694 cpu: 0.5%  
4: mem: 52.7 MiB (0.1%) command: spacefm pid: 3636 cpu: 0.8%  
5: mem: 52.5 MiB (0.1%) command: xorg pid: 3501 cpu: 3.9%  
Info: Processes: 231 Uptime: 1m Init: runit v: N/A runlevel: 2 default: 5  
Compilers: gcc: 8.3.0 alt: 8 Client: shell wrapper v: 5.0.3-release inxi: 3.0.36