

roland@antix1:~

\$ inxi -zv8

System:

Host: antix1 Kernel: 4.9.235-antix.1-amd64-smp x86_64 bits: 64
compiler: gcc v: 8.3.0
parameters: BOOT_IMAGE=/boot/vmlinuz-4.9.235-antix.1-amd64-smp
root=UUID=71e0bfb3-503e-423d-9cbe-39c116f2ce2c ro vga=0x0317 quiet
Desktop: IceWM 1.8.3 dm: SLiM 1.3.6
Distro: antiX-19.3_x64-full Manolis Glezos 15 October 2020
base: Debian GNU/Linux 10 (buster)

Machine:

Type: Desktop Mobo: HUANANZHI model: X79 v: VAA1 serial: <filter>
BIOS: American Megatrends v: 4.6.5 date: 07/07/2018

Memory:

RAM: total: 31.36 GiB used: 331.1 MiB (1.0%)

RAM Report:

permissions: Unable to run dmidecode. Root privileges required.

PCI Slots:

Permissions: Unable to run dmidecode. Root privileges required.

CPU:

Topology: 2x Quad Core model: Intel Xeon E5-2609 0 bits: 64 type: MCP SMP
arch: Sandy Bridge family: 6 model-id: 2D (45) stepping: 7 microcode: 71A
L2 cache: 20.0 MiB bogomips: 38429

Speed: 1371 MHz min/max: 1200/2400 MHz Core speeds (MHz): 1: 1371 2: 1200
3: 1272 4: 1305 5: 1340 6: 1202 7: 1273 8: 1205

Flags: acpi aes aperfperf apic arat arch_perfmon avx bts clflush cmov
constant_tsc cx16 cx8 dca de ds_cpl dtes64 dtherm dts epb ept est
flexpriority flush_lld fpu fxsr ht ibpb ibrs kaiser lahf_lm lm mca mce
md_clear mmx monitor msr mtrr nonstop_tsc nopl nx pae pat pbe pcid
pclmulqdq pdcmm pdpe1gb pebs pge pln pni popcnt pse pse36 pts rdtscp
rep_good sep smx ss ssbd sse sse2 sse4_1 sse4_2 ssse3 stibp syscall tm tm2
tpr_shadow tsc tsc_deadline_timer vme vmx vnmi vpid x2apic xsave xsaveopt
xtopology xtptr

Vulnerabilities: Type: itlb_multihit status: KVM: Split huge pages

Type: l1tf

mitigation: PTE Inversion; VMX: conditional cache flushes, SMT disabled

Type: mds mitigation: Clear CPU buffers; SMT disabled

Type: meltdown mitigation: PTI

Type: spec_store_bypass

mitigation: Speculative Store Bypass disabled via prctl and seccomp

Type: spectre_v1

mitigation: usercopy/swapgs barriers and __user pointer sanitization

Type: spectre_v2 mitigation: Full generic retpoline, IBPB: conditional,
IBRS_FW, STIBP: disabled, RSB filling

Type: srbds status: Not affected

Type: tsx_async_abort status: Not affected

Graphics:

Device-1: NVIDIA GT218 [GeForce 210] driver: nouveau v: kernel

bus ID: 03:00.0 chip ID: 10de:0a65

Display: x11 server: X.Org 1.20.4 driver: modesetting unloaded: fbdev,vesa
resolution: 1280x800~60Hz

OpenGL: renderer: NVA8 v: 3.3 Mesa 18.3.6 direct render: Yes

Audio:

Device-1: Intel C600/X79 series High Definition Audio

driver: snd_hda_intel v: kernel bus ID: 00:1b.0 chip ID: 8086:1d20

Device-2: NVIDIA High Definition Audio driver: snd_hda_intel v: kernel

bus ID: 03:00.1 chip ID: 10de:0be3

Sound Server: ALSA v: k4.9.235-antix.1-amd64-smp

Network:

Device-1: Realtek RTL8111/8168/8411 PCI Express Gigabit Ethernet
driver: r8169 v: 2.3LK-NAPI port: 6000 bus ID: 08:00.0 chip ID: 10ec:8168
IF: eth0 state: down mac: <filter>
Device-2: Intel Wi-Fi 6 AX200 driver: N/A port: 6000 bus ID: 0a:00.0
chip ID: 8086:2723
Device-3: Realtek RTL8111/8168/8411 PCI Express Gigabit Ethernet
driver: r8169 v: 2.3LK-NAPI port: 5000 bus ID: 0b:00.0 chip ID: 10ec:8168
IF: eth1 state: down mac: <filter>
Device-4: Qualcomm Atheros AR9271 802.11n type: USB driver: ath9k_htc
bus ID: 2-1.2.4:5 chip ID: 0cf3:9271 serial: <filter>
IF: wlan0 state: down mac: <filter>
WAN IP: No WAN IP data found. Connected to the web? SSL issues?

Drives:

Local Storage: total: 1.82 TiB used: 43.75 GiB (2.3%)
ID-1: /dev/sda vendor: Seagate model: ST500DM002-1ER14C size: 465.76 GiB
block size: physical: 4096 B logical: 512 B speed: 6.0 Gb/s
rotation: 7200 rpm serial: <filter> rev: CC45 scheme: MBR
ID-2: /dev/sdb vendor: Seagate model: ST3500413AS size: 465.76 GiB
block size: physical: 512 B logical: 512 B speed: 6.0 Gb/s
rotation: 7200 rpm serial: <filter> rev: JC45 scheme: MBR
ID-3: /dev/sdc vendor: Seagate model: ST3500418AS size: 465.76 GiB
block size: physical: 512 B logical: 512 B speed: 3.0 Gb/s
rotation: 7200 rpm serial: <filter> rev: HP40 scheme: MBR
ID-4: /dev/sdd vendor: Seagate model: ST500DM002-1BD142 size: 465.76 GiB
block size: physical: 4096 B logical: 512 B speed: 3.0 Gb/s
rotation: 7200 rpm serial: <filter> rev: KC65 scheme: MBR
ID-5: /dev/sde vendor: ASMedia model: T109x- Config size: 100.0 MiB
block size: physical: 512 B logical: 512 B speed: 6.0 Gb/s
rotation: 7200 rpm serial: <filter> rev: n/a
Optical-1: /dev/sr0 vendor: TSSTcorp model: DVD+-RW TS-H653G rev: DW10
dev-links: cdrom,cdrw,dvd,dvdrw
Features: speed: 48 multisession: yes audio: yes dvd: yes
rw: cd-r,cd-rw,dvd-r,dvd-ram state: running

RAID:

Message: No RAID data was found.

Partition:

ID-1: / raw size: 48.83 GiB size: 47.81 GiB (97.92%) used: 3.48 GiB (7.3%)
fs: ext4 dev: /dev/sda1 label: rootantix19
uuid: 71e0bfbfc-503e-423d-9cbe-39c116f2ce2c
ID-2: /home raw size: 200.20 GiB size: 196.05 GiB (97.93%)
used: 8.16 GiB (4.2%) fs: ext4 dev: /dev/sda6 label: homeantix
uuid: 231afe95-3cba-4993-beb1-b52726510965
ID-3: /media/antix_data raw size: 205.02 GiB size: 200.80 GiB (97.94%)
used: 32.11 GiB (16.0%) fs: ext4 dev: /dev/sda7 label: antix_data
uuid: 3eedced4-3153-41ef-9147-953c4a5795fe
ID-4: swap-1 size: 11.72 GiB used: 0 KiB (0.0%) fs: swap
swappiness: 10 (default 60) cache pressure: 50 (default 100)
dev: /dev/sda5 label: swap uuid: 1540a43b-5380-407b-a657-be4b262d6e04

Unmounted:

ID-1: /dev/sda2 size: 1 KiB fs: <root required> label: N/A uuid: N/A
ID-2: /dev/sdb1 size: 232.67 GiB fs: ext4 label: sdb1
uuid: 0a085231-c321-49d4-aaf0-9d7f71cf067d
ID-3: /dev/sdb2 size: 233.09 GiB fs: ext4 label: sdb2
uuid: 7cf9bdcd-a2e9-493c-90f7-68cbd17af463
ID-4: /dev/sdc1 size: 232.88 GiB fs: ext4 label: sdc1
uuid: a8aca46c-d144-456c-93ae-39bc84a527c9
ID-5: /dev/sdc2 size: 232.88 GiB fs: ext4 label: sdc2

uuid: 8b2f7fe4-ac6f-406e-a4e4-8e9e0ab2d50c
ID-6: /dev/sdd1 size: 232.88 GiB fs: ext4 label: sdd1
uuid: f949503c-76cd-4b06-ade0-fc54a756915a
ID-7: /dev/sdd2 size: 232.88 GiB fs: ext4 label: sdd2
uuid: 198b6b77-a1e4-4adf-b340-98a24491a44e

USB:

Hub: 1-0:1 info: Full speed (or root) Hub ports: 2 rev: 2.0
speed: 480 Mb/s chip ID: 1d6b:0002
Hub: 1-1:2 info: Intel Integrated Rate Matching Hub ports: 6 rev: 2.0
speed: 480 Mb/s chip ID: 8087:0024
Device-1: 1-1.1:3 info: Pixart Imaging Optical Mouse type: Mouse
driver: hid-generic,usbhid interfaces: 1 rev: 1.1 speed: 1.5 Mb/s
chip ID: 093a:2510
Device-2: 1-1.2:4 info: N/A type: Keyboard,HID driver: hid-generic,usbhid
interfaces: 2 rev: 1.1 speed: 1.5 Mb/s chip ID: c0f4:01e0
Device-3: 1-1.3:5 info: Intel type: Bluetooth driver: N/A interfaces: 2
rev: 2.0 speed: 12 Mb/s chip ID: 8087:0029
Hub: 2-0:1 info: Full speed (or root) Hub ports: 2 rev: 2.0
speed: 480 Mb/s chip ID: 1d6b:0002
Hub: 2-1:2 info: Intel Integrated Rate Matching Hub ports: 8 rev: 2.0
speed: 480 Mb/s chip ID: 8087:0024
Hub: 2-1.2:3 info: Terminus FE 2.1 7-port Hub ports: 7 rev: 2.0
speed: 480 Mb/s chip ID: 1a40:0201
Device-4: 2-1.2.2:4 info: Genesys Logic Logilink CR0012 type: Mass Storage
driver: usb-storage interfaces: 1 rev: 2.0 speed: 480 Mb/s
chip ID: 05e3:0745 serial: <filter>
Device-5: 2-1.2.4:5 info: Qualcomm Atheros AR9271 802.11n type: Network
driver: ath9k_htc interfaces: 1 rev: 2.0 speed: 480 Mb/s
chip ID: 0cf3:9271 serial: <filter>
Hub: 3-0:1 info: Full speed (or root) Hub ports: 1 rev: 2.0
speed: 480 Mb/s chip ID: 1d6b:0002
Hub: 3-1:2 info: VIA Labs Hub ports: 4 rev: 2.1 speed: 480 Mb/s
chip ID: 2109:3431
Hub: 4-0:1 info: Full speed (or root) Hub ports: 4 rev: 3.0 speed: 5 Gb/s
chip ID: 1d6b:0003

Sensors:

System Temperatures: cpu: 28.0 C mobo: N/A gpu: nouveau temp: 34 C
Fan Speeds (RPM): N/A

Repos:

Active apt repos in: /etc/apt/sources.list.d/antix.list
1: deb http://ftp.cica.es/mirrors/Linux/MX-Packages/antix/buster buster main
nonfree nosystemd
Active apt repos in: /etc/apt/sources.list.d/buster-backports.list
1: deb http://deb.debian.org/debian buster-backports main contrib non-free
Active apt repos in: /etc/apt/sources.list.d/debian-stable-updates.list
1: deb http://ftp.pt.debian.org/debian/ buster-updates main contrib non-free
Active apt repos in: /etc/apt/sources.list.d/debian.list
1: deb http://ftp.pt.debian.org/debian/ buster main contrib non-free
2: deb http://security.debian.org/ buster/updates main contrib non-free
No active apt repos in: /etc/apt/sources.list.d/onion.list
No active apt repos in: /etc/apt/sources.list.d/various.list

Processes:

CPU top: 5
1: cpu: 2.2% command: xorg pid: 2569 mem: 57.0 MiB (0.1%)
2: cpu: 1.6% command: qpdfview pid: 4356 mem: 102.2 MiB (0.3%)
3: cpu: 1.1% command: spacefm pid: 3212 mem: 56.9 MiB (0.1%)
4: cpu: 0.4% command: conky pid: 3300 mem: 10.1 MiB (0.0%)
5: cpu: 0.3% command: init pid: 1 mem: 2.03 MiB (0.0%)

Memory top: 5

1: mem: 102.2 MiB (0.3%) command: qpdfview pid: 4356 cpu: 1.6%
2: mem: 57.0 MiB (0.1%) command: xorg pid: 2569 cpu: 2.2%
3: mem: 56.9 MiB (0.1%) command: spacefm pid: 3212 cpu: 1.1%
4: mem: 28.2 MiB (0.0%) command: roxterm pid: 4182 cpu: 0.1%
5: mem: 17.4 MiB (0.0%) command: volumeicon pid: 3230 cpu: 0.0%

Info:

Processes: 235 Uptime: 4m Init: SysVinit v: 2.93 runlevel: 5 default: 5
Compilers: gcc: 8.3.0 alt: 8 Shell: bash v: 5.0.3 running in: roxterm
inxi: 3.0.36

roland@antix1:~