

System: Host: antix1 Kernel: 5.8.16-antix.1-amd64-smp x86\_64 bits: 64 compiler:  
N/A  
parameters: BOOT\_IMAGE=/boot/vmlinuz-5.8.16-antix.1-amd64-smp  
root=UUID=2310738f-8a5a-4dee-a14f-c0ec6c3a93a6 ro vga=0x0317 quiet  
Desktop: IceWM 2.1.1 dm: SLiM 1.3.6  
Distro: antiX-19.3\_x64-full Manolis Glezos 15 October 2020  
base: Debian GNU/Linux 10 (buster)

Machine: Type: Desktop Mobo: HUANANZHI model: X79 v: VAA1 serial: <filter>  
BIOS: American Megatrends v: 4.6.5 date: 07/07/2018

Memory: RAM: total: 31.30 GiB used: 415.7 MiB (1.3%)  
RAM Report: permissions: Unable to run dmidecode. Root privileges  
required.

PCI Slots: Permissions: Unable to run dmidecode. Root privileges required.

CPU: Topology: 2x Quad Core model: Intel Xeon E5-2609 0 bits: 64 type: MCP  
SMP  
arch: Sandy Bridge family: 6 model-id: 2D (45) stepping: 7 microcode:  
71A  
L2 cache: 20.0 MiB bogomips: 38512  
Speed: 1776 MHz min/max: 1200/2400 MHz Core speeds (MHz): 1: 1200 2:  
1200 3: 1200  
4: 1200 5: 1253 6: 1204 7: 1201 8: 1201  
Flags: acpi aes aperfmperf apic arat arch\_perfmon avx bts clflush cmov  
constant\_tsc  
cpuid cx16 cx8 dca de ds\_cpl dtes64 dtherm dts epb ept est flexpriority  
flush\_lldt fpu  
fxsr ht ibpb ibrs lahf\_lm lm mca mce md\_clear mmx monitor msr mtrr  
nonstop\_tsc nopl nx  
pae pat pbe pcid pclmulqdq pdcm pdpe1gb pebs pge pln pni popcnt pse  
pse36 pti pts  
rdtscp rep\_good sep smx ss ssbd sse sse2 sse4\_1 sse4\_2 ssse3 stibp  
syscall tm tm2  
tpr\_shadow tsc tsc\_deadline\_timer vme vmx vnmi vpid x2apic xsave  
xsaveopt xtopology  
xtpr  
Vulnerabilities: Type: itlb\_multihit status: KVM: VMX disabled  
Type: l1tf mitigation: PTE Inversion; VMX: conditional cache flushes,  
SMT disabled  
Type: mds mitigation: Clear CPU buffers; SMT disabled  
Type: meltdown mitigation: PTI  
Type: spec\_store\_bypass  
mitigation: Speculative Store Bypass disabled via prctl and seccomp  
Type: spectre\_v1 mitigation: usercopy/swapgs barriers and \_\_user  
pointer sanitization  
Type: spectre\_v2 mitigation: Full generic retpoline, IBPB: conditional,  
IBRS\_FW, STIBP:  
disabled, RSB filling  
Type: srbds status: Not affected  
Type: tsx\_async\_abort status: Not affected

Graphics: Device-1: NVIDIA GT218 [GeForce 210] driver: nvidia v: 340.108 bus ID:  
03:00.0  
chip ID: 10de:0a65  
Display: x11 server: X.Org 1.20.4 driver: nvidia resolution:  
1280x800~60Hz  
OpenGL: renderer: GeForce 210/PCIe/SSE2 v: 3.3.0 NVIDIA 340.108 direct  
render: Yes

Audio: Device-1: Intel C600/X79 series High Definition Audio driver:  
snd\_hda\_intel v: kernel  
bus ID: 00:1b.0 chip ID: 8086:1d20

```

Device-2: NVIDIA High Definition Audio driver: snd_hda_intel v: kernel
bus ID: 03:00.1
chip ID: 10de:0be3
Sound Server: ALSA v: k5.8.16-antix.1-amd64-smp
Network: Device-1: Realtek RTL8111/8168/8411 PCI Express Gigabit Ethernet
driver: r8169
v: kernel port: 6000 bus ID: 08:00.0 chip ID: 10ec:8168
IF: eth0 state: down mac: <filter>
Device-2: Intel Wi-Fi 6 AX200 driver: iwlwifi v: kernel port: 6000 bus
ID: 0a:00.0
chip ID: 8086:2723
IF: wlan1 state: up mac: <filter>
IP v4: <filter> type: dynamic scope: global broadcast: <filter>
IP v6: <filter> scope: link
Device-3: Realtek RTL8111/8168/8411 PCI Express Gigabit Ethernet
driver: r8169
v: kernel port: 5000 bus ID: 0b:00.0 chip ID: 10ec:8168
IF: eth1 state: down mac: <filter>
WAN IP: No WAN IP data found. Connected to the web? SSL issues?
Drives: Local Storage: total: 1.82 TiB used: 251.79 GiB (13.5%)
ID-1: /dev/sda vendor: Seagate model: ST500DM002-1ER14C size: 465.76
GiB block size:
physical: 4096 B logical: 512 B speed: 6.0 Gb/s rotation: 7200 rpm
serial: <filter>
rev: CC45 scheme: MBR
ID-2: /dev/sdb vendor: Seagate model: ST3500413AS size: 465.76 GiB
block size:
physical: 512 B logical: 512 B speed: 6.0 Gb/s rotation: 7200 rpm
serial: <filter>
rev: JC45 scheme: MBR
ID-3: /dev/sdc vendor: Seagate model: ST3500418AS size: 465.76 GiB
block size:
physical: 512 B logical: 512 B speed: 3.0 Gb/s rotation: 7200 rpm
serial: <filter>
rev: HP40 scheme: MBR
ID-4: /dev/sdd vendor: Seagate model: ST500DM002-1BD142 size: 465.76
GiB block size:
physical: 4096 B logical: 512 B speed: 3.0 Gb/s rotation: 7200 rpm
serial: <filter>
rev: KC65 scheme: MBR
ID-5: /dev/sde vendor: ASMedia model: T109x- Config size: 100.0 MiB
block size:
physical: 512 B logical: 512 B speed: 6.0 Gb/s rotation: 7200 rpm
serial: <filter>
rev: n/a
Optical-1: /dev/sr0 vendor: TSSTcorp model: DVD+-RW TS-H653G rev: DW10
dev-links: cdrom,cdrw,dvd,dvdrw
Features: speed: 48 multisession: yes audio: yes dvd: yes rw: cd-r,cd-
rw,dvd-r,dvd-ram
state: running
RAID: Message: No RAID data was found.
Partition: ID-1: / raw size: 48.83 GiB size: 47.81 GiB (97.92%) used: 6.50 GiB
(13.6%) fs: ext4
dev: /dev/sda1 label: rootantiX19 uuid: 2310738f-8a5a-4dee-a14f-
c0ec6c3a93a6
ID-2: /home raw size: 200.20 GiB size: 196.05 GiB (97.93%) used: 19.61
GiB (10.0%)
fs: ext4 dev: /dev/sda6 label: homeantiX uuid: 231afe95-3cba-4993-beb1-

```

b52726510965

ID-3: /media/antix\_data raw size: 205.02 GiB size: 200.80 GiB (97.94%)  
used: 58.93 GiB (29.3%) fs: ext4 dev: /dev/sda7 label: antix\_data  
uuid: 3eedced4-3153-41ef-9147-953c4a5795fe

ID-4: /media/sdb1 raw size: 232.67 GiB size: 228.02 GiB (98.00%) used:  
59.2 MiB (0.0%)

fs: ext4 dev: /dev/sdb1 label: sdb1 uuid: 0a085231-c321-49d4-aaf0-  
9d7f71cf067d

ID-5: /media/sdb2 raw size: 233.09 GiB size: 228.43 GiB (98.00%) used:  
59.2 MiB (0.0%)

fs: ext4 dev: /dev/sdb2 label: sdb2 uuid: 7cf9bdcd-a2e9-493c-90f7-  
68cbd17af463

ID-6: /media/sdc1 raw size: 232.88 GiB size: 228.22 GiB (98.00%) used:  
59.2 MiB (0.0%)

fs: ext4 dev: /dev/sdc1 label: sdc1 uuid: a8aca46c-d144-456c-93ae-  
39bc84a527c9

ID-7: /media/sdc2 raw size: 232.88 GiB size: 228.23 GiB (98.00%) used:  
59.2 MiB (0.0%)

fs: ext4 dev: /dev/sdc2 label: sdc2 uuid: 8b2f7fe4-ac6f-406e-a4e4-  
8e9e0ab2d50c

ID-8: /media/sdd1 raw size: 232.88 GiB size: 228.23 GiB (98.00%)  
used: 108.39 GiB (47.5%) fs: ext4 dev: /dev/sdd1 label: sdd1  
uuid: f949503c-76cd-4b06-ade0-fc54a756915a

ID-9: /media/sdd2 raw size: 232.88 GiB size: 228.22 GiB (98.00%)  
used: 58.13 GiB (25.5%) fs: ext4 dev: /dev/sdd2 label: sdd2  
uuid: 198b6b77-ale4-4adf-b340-98a24491a44e

ID-10: swap-1 size: 11.72 GiB used: 0 KiB (0.0%) fs: swap swappiness:  
10 (default 60)

cache pressure: 50 (default 100) dev: /dev/sda5 label: swap  
uuid: 1540a43b-5380-407b-a657-be4b262d6e04

Unmounted: ID-1: /dev/sda2 size: 1 KiB fs: <root required> label: N/A uuid: N/A

USB: Hub: 1-0:1 info: Full speed (or root) Hub ports: 2 rev: 2.0 speed: 480  
Mb/s

chip ID: 1d6b:0002

Hub: 1-1:2 info: Intel Integrated Rate Matching Hub ports: 6 rev: 2.0  
speed: 480 Mb/s

chip ID: 8087:0024

Device-1: 1-1.1:3 info: Pixart Imaging Optical Mouse type: Mouse  
driver: hid-generic,usbhid interfaces: 1 rev: 1.1 speed: 1.5 Mb/s chip

ID: 093a:2510

Device-2: 1-1.2:4 info: N/A type: Keyboard,HID driver: hid-  
generic,usbhid interfaces: 2

rev: 1.1 speed: 1.5 Mb/s chip ID: c0f4:01e0

Device-3: 1-1.3:5 info: Intel type: Bluetooth driver: btusb interfaces:  
2 rev: 2.0

speed: 12 Mb/s chip ID: 8087:0029

Hub: 2-0:1 info: Full speed (or root) Hub ports: 2 rev: 2.0 speed: 480  
Mb/s

chip ID: 1d6b:0002

Hub: 2-1:2 info: Intel Integrated Rate Matching Hub ports: 8 rev: 2.0  
speed: 480 Mb/s

chip ID: 8087:0024

Hub: 2-1.2:3 info: Terminus FE 2.1 7-port Hub ports: 7 rev: 2.0 speed:  
480 Mb/s

chip ID: 1a40:0201

Storage Device-4: 2-1.2.2:4 info: Genesys Logic Logilink CR0012 type: Mass  
driver: usb-storage interfaces: 1 rev: 2.0 speed: 480 Mb/s chip ID:

05e3:0745

serial: <filter>

Hub: 3-0:1 info: Full speed (or root) Hub ports: 1 rev: 2.0 speed: 480

Mb/s

chip ID: 1d6b:0002

Hub: 3-1:2 info: VIA Labs Hub ports: 4 rev: 2.1 speed: 480 Mb/s chip

ID: 2109:3431

Hub: 4-0:1 info: Full speed (or root) Hub ports: 4 rev: 3.0 speed: 5

Gb/s

chip ID: 1d6b:0003

Sensors: System Temperatures: cpu: 29.0 C mobo: N/A gpu: nvidia temp: 51 C

Fan Speeds (RPM): N/A

Repos: Active apt repos in: /etc/apt/sources.list.d/antix.list

1: deb https://mirror.23media.com/mx-packages/antix/buster/ buster

main nonfree nosystemd

Active apt repos in: /etc/apt/sources.list.d/buster-backports.list

1: deb http://deb.debian.org/debian buster-backports main contrib non-

free

Active apt repos in: /etc/apt/sources.list.d/debian-stable-updates.list

1: deb http://ftp.pt.debian.org/debian/ buster-updates main contrib

non-free

Active apt repos in: /etc/apt/sources.list.d/debian.list

1: deb http://ftp.pt.debian.org/debian/ buster main contrib non-free

2: deb http://security.debian.org/ buster/updates main contrib non-

free

Active apt repos in: /etc/apt/sources.list.d/google-earth-pro.list

1: deb [arch=amd64] http://dl.google.com/linux/earth/deb/ stable main

No active apt repos in: /etc/apt/sources.list.d/onion.list

No active apt repos in: /etc/apt/sources.list.d/various.list

Processes: CPU top: 5

1: cpu: 3.6% command: spacefm pid: 5568 mem: 71.4 MiB (0.2%)

2: cpu: 2.2% command: xorg pid: 2873 mem: 67.0 MiB (0.2%)

3: cpu: 1.0% command: gtdialog pid: 7113 mem: 25.8 MiB (0.0%)

4: cpu: 0.4% command: conky pid: 3638 mem: 10.5 MiB (0.0%)

5: cpu: 0.3% command: icewm pid: 3535 mem: 30.5 MiB (0.0%)

Memory top: 5

1: mem: 71.4 MiB (0.2%) command: spacefm pid: 5568 cpu: 3.6%

2: mem: 67.0 MiB (0.2%) command: xorg pid: 2873 cpu: 2.2%

3: mem: 32.6 MiB (0.1%) command: yad pid: 7176 cpu: 0.0%

4: mem: 30.5 MiB (0.0%) command: icewm pid: 3535 cpu: 0.3%

5: mem: 25.8 MiB (0.0%) command: rox pid: 3550 cpu: 0.0%

Info: Processes: 230 Uptime: 11m Init: SysVinit v: 2.93 runlevel: 5 default:

5 Compilers:

gcc: 8.3.0 alt: 8 Client: shell wrapper v: 5.0.3-release inxi: 3.0.36