

System: Host: antix1 Kernel: 4.9.0-264-antix.1-amd64-smp x86_64 bits: 64 compiler: gcc v: 8.3.0
parameters: BOOT_IMAGE=/antiX/vmlinuz quiet splasht disable=lxF
Desktop: IceWM 2.3.4 dm: SLiM 1.3.6 Distro: antiX-19.4_x64-full Grup Yorum 20 May 2021
base: Debian GNU/Linux 10 (buster)

Machine: Type: Laptop System: Acer product: Aspire A114-31 v: V1.09 serial: <filter> Chassis:
type: 10 serial: <filter>
Mobo: APL model: Bulbasaur_AP v: V1.09 serial: <filter> UEFI: Insyde v: 1.09
date: 10/17/2017

Battery: ID-1: BAT1 charge: 31.9 Wh condition: 32.2/37.0 Wh (87%) volts: 8.2/7.7
model: PANASONIC AP16M5J type: Li-ion serial: <filter> status: Discharging

Memory: RAM: total: 3.77 GiB used: 258.9 MiB (6.7%)
RAM Report: permissions: Unable to run dmidecode. Root privileges required.

PCI Slots: Permissions: Unable to run dmidecode. Root privileges required.

CPU: Topology: Dual Core model: Intel Celeron N3350 bits: 64 type: MCP arch: Goldmont
family: 6 model-id: 5C (92) stepping: 9 microcode: 40 L2 cache: 1024 KiB bogomips: 4377
Speed: 1096 MHz min/max: 800/2400 MHz Core speeds (MHz): 1: 1096 2: 1161
Flags: 3dnowprefetch acpi aes aperfmperf apic arat arch_perfmon art bts clflush
clflushopt cmov constant_tsc cx16 cx8 de ds_cpl dtes64 dtherm dts ept erms est
flexpriority fpu fsgsbase fxsr ht ida intel_pt kaiser lahf_lm lm mca mce mmx monitor
movbe mpx msr mtrr nonstop_tsc nopl nx pae pat pbe pclmulqdq pdcmm pdpe1gb pebs pge pln
pni popcnt pse pse36 pts rdrand rdseed rdtscp rep_good sdbg sep sha_ni smap smep ss sse
sse2 sse4_1 sse4_2 ssse3 syscall tm tm2 tpr_shadow tsc tsc_adjust tsc_deadline_timer
vme vmx vnmi vpid x2apic xgetbv1 xsave xsavec xsaveopt xssaves xtopology xtptr
Vulnerabilities: Type: itlb_multihit status: Not affected
Type: l1tf status: Not affected
Type: mds status: Not affected
Type: meltdown mitigation: PTI
Type: spec_store_bypass status: Vulnerable
Type: spectre_v1 mitigation: usercopy/swapgs barriers and __user pointer sanitization
Type: spectre_v2 mitigation: Full generic retpoline, STIBP: disabled, RSB filling
Type: srbds status: Not affected
Type: tsx_async_abort status: Not affected

Graphics: Device-1: Intel vendor: Acer Incorporated ALI driver: i915 v: kernel bus ID: 00:02.0
chip ID: 8086:5a85
Display: x11 server: X.Org 1.20.4 driver: modesetting unloaded: fbdev,vesa
resolution: 1366x768~60Hz
OpenGL: renderer: Mesa DRI Intel HD Graphics 500 (Broxton 2x6) v: 4.5 Mesa 18.3.6
compat-v: 3.0 direct render: Yes

Audio: Device-1: Intel Atom/Celeron/Pentium Processor N4200/N3350/E3900 Series Audio Cluster
vendor: Acer Incorporated ALI driver: snd_hda_intel v: kernel bus ID: 00:0e.0
chip ID: 8086:5a98
Sound Server: ALSA v: k4.9.0-264-antix.1-amd64-smp

Network: Device-1: Realtek RTL8111/8168/8411 PCI Express Gigabit Ethernet
vendor: Acer Incorporated ALI driver: r8169 v: 2.3LK-NAPI port: 1000 bus ID: 02:00.1
chip ID: 10ec:8168
IF: eth0 state: down mac: <filter>
Device-2: Qualcomm Atheros QCA9377 802.11ac Wireless Network Adapter vendor: Lite-On
driver: ath10k_pci v: kernel port: 1000 bus ID: 03:00.0 chip ID: 168c:0042
IF: wlan0 state: down mac: <filter>
WAN IP: No WAN IP data found. Connected to the web? SSL issues?

Drives: Local Storage: total: 72.70 GiB used: 4.02 GiB (5.5%)
ID-1: /dev/mmcblk0 model: DF4064 size: 58.24 GiB block size: physical: 512 B
logical: 512 B serial: <filter> scheme: MBR
ID-2: /dev/sda type: USB vendor: Toshiba model: TransMemory size: 14.45 GiB block size:
physical: 512 B logical: 512 B serial: <filter> rev: 1.00 scheme: MBR
Message: No Optical or Floppy data was found.

RAID: Message: No RAID data was found.

Partition: ID-1: / raw size: N/A size: 2.97 GiB used: 2.8 MiB (0.1%) fs: overlay source: ERR-102
label: N/A uuid: N/A
ID-2: /live/boot-dev raw size: 4.29 GiB size: 4.18 GiB (97.50%) used: 1.17 GiB (28.1%)
fs: ext4 dev: /dev/sda1 label: userpart uuid: a65b852e-644e-4cab-b47f-9b29857a7b98
ID-3: /live/linux raw size: 1.14 GiB size: <root required> used: <root required>
fs: squashfs dev: /dev/loop0 label: N/A uuid: N/A
ID-4: /media/ANTIX-UEFI raw size: 49.0 MiB size: 48.2 MiB (98.43%) used: 4.2 MiB (8.7%)

fs: vfat dev: /dev/sda2 label: ANTIX-UEFI uuid: 23A2-AFC6
ID-5: /media/rootantiX17.4.1 raw size: 55.06 GiB size: 53.95 GiB (97.97%)
used: 2.84 GiB (5.3%) fs: ext4 dev: /dev/mmcblk0p3 label: rootantiX17.4.1
uuid: 3e264845-a795-452e-82ee-487f479ee2bb
ID-6: swap-1 size: 3.18 GiB used: 0 KiB (0.0%) fs: swap swappiness: 10 (default 60)
cache pressure: 50 (default 100) dev: /dev/mmcblk0p2 label: swap
uuid: 11a069fc-d86b-4f97-903b-49023ab14aa6
Unmounted: ID-1: /dev/mmcblk0boot0 size: 4.0 MiB fs: <root required> label: N/A uuid: N/A
ID-2: /dev/mmcblk0boot1 size: 4.0 MiB fs: <root required> label: N/A uuid: N/A
USB: Hub: 1-0:1 info: Full speed (or root) Hub ports: 8 rev: 2.0 speed: 480 Mb/s
chip ID: 1d6b:0002
Device-1: 1-1:2 info: Toshiba TransMemory-Mini / Kingston DataTraveler 2.0 Stick
type: Mass Storage driver: usb-storage interfaces: 1 rev: 2.0 speed: 480 Mb/s
chip ID: 0930:6544 serial: <filter>
Device-2: 1-3:3
info: KYE Systems (Mouse Systems) NetScroll+ Mini Traveler / Genius NetScroll 120
type: Mouse driver: hid-generic,usbhid interfaces: 1 rev: 1.1 speed: 1.5 Mb/s
chip ID: 0458:003a
Device-3: 1-5:4 info: Lite-On type: Bluetooth driver: btusb interfaces: 2 rev: 2.0
speed: 12 Mb/s chip ID: 04ca:3015
Device-4: 1-7:5 info: Chicony type: Video driver: uvcvideo interfaces: 2 rev: 2.0
speed: 480 Mb/s chip ID: 04f2:b5e0 serial: <filter>
Hub: 2-0:1 info: Full speed (or root) Hub ports: 7 rev: 3.0 speed: 5 Gb/s
chip ID: 1d6b:0003
Sensors: System Temperatures: cpu: 25.0 C mobo: N/A
Fan Speeds (RPM): N/A
Repos: Active apt repos in: /etc/apt/sources.list.d/antix.list
1: deb http://la.mxrepo.com/antix/buster buster main nonfree nosystemd
Active apt repos in: /etc/apt/sources.list.d/buster-backports.list
1: deb http://deb.debian.org/debian buster-backports main contrib non-free
Active apt repos in: /etc/apt/sources.list.d/debian-stable-updates.list
1: deb http://ftp.us.debian.org/debian/ buster-updates main contrib non-free
Active apt repos in: /etc/apt/sources.list.d/debian.list
1: deb http://ftp.us.debian.org/debian/ buster main contrib non-free
2: deb http://security.debian.org/ buster/updates main contrib non-free
No active apt repos in: /etc/apt/sources.list.d/onion.list
No active apt repos in: /etc/apt/sources.list.d/various.list
Processes: CPU top: 5
1: cpu: 26.0% command: yad pid: 5822 mem: 29.2 MiB (0.7%)
2: cpu: 4.1% command: xorg pid: 4542 mem: 53.8 MiB (1.3%)
3: cpu: 3.1% command: gtkdialog pid: 5764 mem: 31.7 MiB (0.8%)
4: cpu: 2.8% command: spacefm pid: 5258 mem: 56.3 MiB (1.4%)
5: cpu: 1.3% command: slim pid: 4527 mem: 9.93 MiB (0.2%)
Memory top: 5
1: mem: 56.3 MiB (1.4%) command: spacefm pid: 5258 cpu: 2.8%
2: mem: 53.8 MiB (1.3%) command: xorg pid: 4542 cpu: 4.1%
3: mem: 41.1 MiB (1.0%) command: rox pid: 4858 cpu: 0.6%
4: mem: 31.7 MiB (0.8%) command: gtkdialog pid: 5764 cpu: 3.1%
5: mem: 29.2 MiB (0.7%) command: yad pid: 5822 cpu: 26.0%
Info: Processes: 156 Uptime: 3m Init: SysVinit v: 2.93 runlevel: 5 default: 5 Compilers:
gcc: 8.3.0 alt: 8 Client: shell wrapper v: 5.0.3-release inxi: 3.0.36