

System: Kernel: 5.10.88-antix.1-amd64-smp x86_64 bits: 64 compiler: gcc v: 8.3.0
parameters: BOOT_IMAGE=/boot/vmlinuz-5.10.88-antix.1-amd64-smp
root=UUID=95839a0e-968c-4821-bb3f-de144d61a603 ro quiet
Desktop: IceWM 2.9.5 vt: 7 dm: SLiM 1.3.6
Distro: antiX-19.3_x64-full Manolis Glezos 16 October 2020
base: Debian GNU/Linux 10 (buster)

Machine: Type: Desktop Mobo: N/A model: Intel X79 serial: <filter> BIOS: American Megatrends
v: X79DT00A date: 01/13/2020

Battery: Message: No system battery data found. Is one present?

Memory: RAM: total: 15.55 GiB used: 1.38 GiB (8.9%)
RAM Report: permissions: Unable to run dmidecode. Root privileges required.

PCI Slots: Permissions: Unable to run dmidecode. Root privileges required.

CPU: Info: 2x 6-Core model: Intel Xeon E5-2620 0 bits: 64 type: MT MCP SMP
arch: Sandy Bridge family: 6 model-id: 2D (45) stepping: 7 microcode: 71A cache:
L2: 30 MiB bogomips: 96110
Speed: 1200 MHz min/max: 1200/2500 MHz Core speeds (MHz): 1: 1200 2: 1200 3: 1524
4: 1601 5: 1200 6: 1200 7: 1200 8: 1200 9: 1200 10: 1200 11: 1558 12: 1548 13: 1200
14: 1816 15: 1441 16: 1495 17: 1610 18: 1199 19: 1200 20: 1200 21: 1549 22: 1575
23: 1572 24: 1459
Flags: acpi aes aperfmperf apic arat arch_perfmon avx bts clflush cmov constant_tsc
cpuid cx16 cx8 dca de ds_cpl dtes64 dtherm dts epb ept est flexpriority flush_lldt fpu
fxsr ht ibpb ibrs ida lahfm lm mca mce md_clear mmx monitor msr mtrr nonstop_tsc nopl
nx pae pat pbe pcid pclmulqdq pdcml pdpe1gb pebs pge pln pni popcnt pse pse36 pti pts
rdtscp rep_good sep smx ss ssbd sse sse2 sse4_1 sse4_2 ssse3 stibp syscall tm tm2
tpr_shadow tsc tsc_deadline_timer vme vmx vnm1 vpid x2apic xsave xsaveopt xtopology
xtpr
Vulnerabilities: Type: itlb_multihit status: KVM: VMX disabled
Type: l1tf mitigation: PTE Inversion; VMX: conditional cache flushes, SMT vulnerable
Type: mds mitigation: Clear CPU buffers; SMT vulnerable
Type: meltdown mitigation: PTI
Type: spec_store_bypass
mitigation: Speculative Store Bypass disabled via prctl and seccomp
Type: spectre_v1 mitigation: usercopy/swaps barriers and __user pointer sanitization
Type: spectre_v2 mitigation: Full generic retpoline, IBPB: conditional, IBRS_FW, STIBP:
conditional, RSB filling
Type: srbds status: Not affected
Type: tsx_async_abort status: Not affected

Graphics: Device-1: AMD Cedar [Radeon HD 5000/6000/7350/8350 Series] vendor: PC Partner Limited
driver: radeon v: kernel bus-ID: 03:00.0 chip-ID: 1002:68f9 class-ID: 0300
Display: x11 server: X.Org 1.20.4 driver: loaded: ati,radeon
unloaded: fbdev,modesetting,vesa display-ID: :0.0 screens: 1
Screen-1: 0 s-res: 1280x800 s-dpi: 96 s-size: 338x211mm (13.3x8.3")
s-diag: 398mm (15.7")
Monitor-1: VGA-0 res: 1280x800 hz: 60 dpi: 90 size: 360x290mm (14.2x11.4")
diag: 462mm (18.2")
OpenGL: renderer: AMD CEDAR (DRM 2.50.0 / 5.10.88-antix.1-amd64-smp LLVM 7.0.1)
v: 3.3 Mesa 18.3.6 compat-v: 3.1 direct render: Yes

Audio: Device-1: Intel C600/X79 series High Definition Audio driver: snd_hda_intel v: kernel
bus-ID: 00:1b.0 chip-ID: 8086:1d20 class-ID: 0403
Device-2: AMD Cedar HDMI Audio [Radeon HD 5400/6300/7300 Series]
vendor: PC Partner Limited driver: snd_hda_intel v: kernel bus-ID: 03:00.1
chip-ID: 1002:aa68 class-ID: 0403
Sound Server-1: ALSA v: k5.10.88-antix.1-amd64-smp running: yes

Network: Device-1: Intel driver: iwlwifi v: kernel modules: wl port: 5000 bus-ID: 08:00.0
chip-ID: 8086:2723 class-ID: 0280
IF: wlan1 state: up mac: <filter>
IP v4: <filter> type: dynamic scope: global broadcast: <filter>
IP v6: <filter> scope: link
Device-2: Realtek RTL8111/8168/8411 PCI Express Gigabit Ethernet driver: r8169
v: kernel port: 4000 bus-ID: 09:00.0 chip-ID: 10ec:8168 class-ID: 0200
IF: eth0 state: down mac: <filter>
WAN IP: <filter>

Bluetooth: Device-1: N/A type: USB driver: btusb v: 0.8 bus-ID: 1-1.5:3 chip-ID: 8087:0029
class-ID: e001
Report: hciconfig ID: hci0 rfk-id: 1 state: up address: <filter>
Info: acl-mtu: 1021:4 sco-mtu: 96:6 link-policy: rswitch sniff link-mode: slave accept
service-classes: audio

Logical: Message: No logical block device data found.

RAID: Message: No RAID data found.

Drives: Local Storage: total: 754.56 GiB used: 116.96 GiB (15.5%)
SMART Message: Unable to run smartctl. Root privileges required.
ID-1: /dev/sda maj-min: 8:0 model: SGT S800 60GB SSD size: 55.9 GiB block-size:

```

physical: 512 B logical: 512 B speed: 6.0 Gb/s type: SSD serial: <filter> rev: 1A
scheme: MBR
ID-2: /dev/sdb maj-min: 8:16 vendor: Seagate model: ST3250318AS size: 232.89 GiB
block-size: physical: 512 B logical: 512 B speed: 3.0 Gb/s type: HDD rpm: 7200
serial: <filter> rev: CC38 scheme: MBR
ID-3: /dev/sdc maj-min: 8:32 vendor: Seagate model: ST3250318AS size: 232.89 GiB
block-size: physical: 512 B logical: 512 B speed: 3.0 Gb/s type: HDD rpm: 7200
serial: <filter> rev: CC44 scheme: MBR
ID-4: /dev/sdd maj-min: 8:48 vendor: Seagate model: ST3250318AS size: 232.89 GiB
block-size: physical: 512 B logical: 512 B speed: 3.0 Gb/s type: HDD rpm: 7200
serial: <filter> rev: CC38 scheme: MBR
Optical-1: /dev/sr0 vendor: HL-DT-ST model: DVD-RAM GH24NSD5 rev: LV00
dev-links: cdrom,cdrw,dvd,dvdrw
Features: speed: 12 multisession: yes audio: yes dvd: yes rw: cd-r,cd-rw,dvd-r,dvd-ram
state: running
Partition: ID-1: / raw-size: 50.04 GiB size: 49 GiB (97.93%) used: 7.37 GiB (15.0%) fs: ext4
dev: /dev/sda2 maj-min: 8:2 label: rootantiX19
uuid: 95839a0e-968c-4821-bb3f-de144d61a603
ID-2: /home raw-size: 232.88 GiB size: 228.23 GiB (98.00%) used: 29.86 GiB (13.1%)
fs: ext4 dev: /dev/sdb1 maj-min: 8:17 label: homeantiX
uuid: 923dd82b-7459-48e9-8a5a-4db22978713c
ID-3: /media/sdc1 raw-size: 116.41 GiB size: 113.59 GiB (97.57%)
used: 17.14 GiB (15.1%) fs: ext4 dev: /dev/sdc1 maj-min: 8:33 label: sdc1
uuid: 7060fea0-7d6d-4fa9-ab10-ba5bfffff0ca
ID-4: /media/sdc2 raw-size: 116.47 GiB size: 114.14 GiB (98.00%)
used: 20.67 GiB (18.1%) fs: ext4 dev: /dev/sdc2 maj-min: 8:34 label: sdc2
uuid: a1924fbc-b070-4508-8852-211bde378f5f
ID-5: /media/sdd1 raw-size: 116.21 GiB size: 113.89 GiB (98.00%) used: 20 GiB (17.6%)
fs: ext4 dev: /dev/sdd1 maj-min: 8:49 label: sdd1
uuid: 088f9375-073a-479e-8f41-b23ba12d2df7
ID-6: /media/sdd2 raw-size: 116.67 GiB size: 114.34 GiB (98.00%)
used: 21.92 GiB (19.2%) fs: ext4 dev: /dev/sdd2 maj-min: 8:50 label: sdd2
uuid: 1cfa8c8b-3fd0-4061-8315-cbfb073f3068
Swap: Kernel: swappiness: 60 (default) cache-pressure: 100 (default)
ID-1: swap-1 type: partition size: 5.86 GiB used: 0 KiB (0.0%) priority: -2
dev: /dev/sda1 maj-min: 8:1 label: swap uuid: 2f06d8b4-bb5e-439d-8d9a-34ea616ad976
Unmounted: Message: No unmounted partitions found.
USB: Hub-1: 1-0:1 info: Full speed (or root) Hub ports: 2 rev: 2.0 speed: 480 Mb/s
chip-ID: 1d6b:0002 class-ID: 0900
Hub-2: 1-1:2 info: Full speed (or root) Hub ports: 6 rev: 2.0 speed: 480 Mb/s
chip-ID: 8087:0024 class-ID: 0900
Device-1: 1-1.5:3 info: N/A type: Bluetooth driver: btusb interfaces: 2 rev: 2.0
speed: 12 Mb/s power: 100mA chip-ID: 8087:0029 class-ID: e001
Hub-3: 2-0:1 info: Full speed (or root) Hub ports: 2 rev: 2.0 speed: 480 Mb/s
chip-ID: 1d6b:0002 class-ID: 0900
Hub-4: 2-1:2 info: Full speed (or root) Hub ports: 8 rev: 2.0 speed: 480 Mb/s
chip-ID: 8087:0024 class-ID: 0900
Device-1: 2-1.4:3 info: N/A type: Keyboard,Mouse driver: hid-generic,usbhid
interfaces: 2 rev: 1.1 speed: 12 Mb/s power: 100mA chip-ID: 25a7:fa61 class-ID: 0301
Hub-5: 2-1.7:4 info: Hi-speed hub with multiple TTs ports: 7 rev: 2.0 speed: 480 Mb/s
power: 100mA chip-ID: 1a40:0201 class-ID: 0900
Device-1: 2-1.7.2:5 info: N/A type: Mass Storage driver: usb-storage interfaces: 1
rev: 2.0 speed: 480 Mb/s power: 500mA chip-ID: 05e3:0745 class-ID: 0806
serial: <filter>
Hub-6: 3-0:1 info: Full speed (or root) Hub ports: 1 rev: 2.0 speed: 480 Mb/s
chip-ID: 1d6b:0002 class-ID: 0900
Hub-7: 3-1:2 info: Full speed (or root) Hub ports: 4 rev: 2.1 speed: 480 Mb/s
power: 100mA chip-ID: 2109:3431 class-ID: 0900
Hub-8: 4-0:1 info: Full speed (or root) Hub ports: 4 rev: 3.0 speed: 5 Gb/s
chip-ID: 1d6b:0003 class-ID: 0900
Sensors: System Temperatures: cpu: 45.0 C mobo: N/A gpu: radeon temp: 34.0 C
Fan Speeds (RPM): N/A
Repos: Packages: apt: 2078 lib: 1064
Active apt repos in: /etc/apt/sources.list.d/antix.list
1: deb https://mirror.23media.com/mx-packages/antix/buster/ buster main nonfree nosystemd
Active apt repos in: /etc/apt/sources.list.d/buster-backports.list
1: deb http://deb.debian.org/debian buster-backports main contrib non-free
Active apt repos in: /etc/apt/sources.list.d/debian-stable-updates.list
1: deb http://ftp.pt.debian.org/debian/ buster-updates main contrib non-free
Active apt repos in: /etc/apt/sources.list.d/debian.list
1: deb http://ftp.pt.debian.org/debian/ buster main contrib non-free
2: deb http://security.debian.org/ buster/updates main contrib non-free

```

No active apt repos in: /etc/apt/sources.list.d/onion.list
Active apt repos in: /etc/apt/sources.list.d/skype-stable.list
1: deb [arch=amd64] https://repo.skype.com/deb stable main
No active apt repos in: /etc/apt/sources.list.d/various.list

Processes: CPU top: 5 of 379

1: cpu: 23.8% command: chromium pid: 14246 mem: 296.4 MiB (1.8%)
2: cpu: 18.2% command: chromium pid: 13043 mem: 152.5 MiB (0.9%)
3: cpu: 14.3% command: chromium pid: 19644 mem: 161.9 MiB (1.0%)
4: cpu: 5.1% command: chromium pid: 13006 mem: 280.8 MiB (1.7%)
5: cpu: 4.0% command: xorg pid: 2873 mem: 54.1 MiB (0.3%)

Memory top: 5 of 379

1: mem: 296.4 MiB (1.8%) command: chromium pid: 14246 cpu: 23.8%
2: mem: 280.8 MiB (1.7%) command: chromium pid: 13006 cpu: 5.1%
3: mem: 190.2 MiB (1.1%) command: chromium pid: 13047 cpu: 2.1%
4: mem: 161.9 MiB (1.0%) command: chromium pid: 19644 cpu: 14.3%
5: mem: 152.5 MiB (0.9%) command: chromium pid: 13043 cpu: 18.2%

Info: Processes: 379 Uptime: 51m wakeups: 1 Init: SysVinit v: 2.93 runlevel: 5 default: 5
tool: service Compilers: gcc: 8.3.0 alt: 8 Client: shell wrapper v: 5.0.3-release
inxi: 3.3.06